# GOLDEN GATETM FAMILY

The Golden Gate Family consists of interior ceiling light fixtures featuring an iconic diamond center body. Graceful curves and articulated edges convey a clean American Mission Style feel. Golden Gate chandeliers and ceiling fixtures pair nicely with Oak Park or Wentworth sconces.









# GOLDEN GATETM FAMILY

# INTERIOR LIGHTING FIXTURES



GR-417-B1-01M

GR-428-A6-09M



GR-417-B1-02M

Ē

GR-428-B1-03M

Лì





GR-417-B1-15M





GR-430-A6-09M



GR-440-B7-09M










GR-440-B1-09M



GR-446-B1-03M



GR-446-B1-09M



Ţ

Ē A GR-430-B1-03M



GR-442-B1-03M



GR-442-B1-09M

GR-430-B1-09M







GR-442-B7-09M


GR-446-B7-09M





# GOLDEN GATE™ FOUR LIGHT SEMI FLUSH CEILING FIXTURE

# WITH 2-1/4" SHADE HOLDERS



# FINISHES - applied by hand.

Polished Nickel	Architectural Bronze
Brushed Nickel	Verdigris Patina
Black	Distressed Brass
Brushed Brass	Antique Copper
Polished Brass	Satin Antique Brass
Antique Nickel	Unlacquered Pol. Brass
Other finishes charge, inquire.	available for additional

Handmade in USA

#### GR-417-B1-01M Shown with A101 shade(s)

Medium base screw-in sockets (4) each accept 150 W max incandescent, compact fluorescent, or LED.


GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Check our website for alternative 2-1/4" shades.

Mounting plate center mounts to junction box.

UL listed dry location.


Durably constructed of solid brass.





# GOLDEN GATE™ FOUR LIGHT CHAIN LINK CEILING FIXTURE

# WITH 2-1/4" SHADE HOLDERS





# FINISHES - applied by hand.

Polished Nickel	Architectural Bronze
Brushed Nickel	Verdigris Patina
Black	Distressed Brass
Brushed Brass	Antique Copper
Polished Brass	Satin Antique Brass
Antique Nickel	Unlacquered Pol. Brass
Other finishes charge, inquire.	available for additional

#### GR-417-B1-02M Shown with A101 shade(s)

Medium base screw-in sockets (4) each accept 150 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.


Check our website for alternative 2-1/4" shades.

Mounting plate center mounts to junction box.

UL listed dry location.

Durably constructed of solid brass.

Made in USA by Brass Light Gallery.





sales@brasslight.com


800-243-9595

brasslightgallery.com



# GOLDEN GATETM FOUR LIGHT STEM DROP CHANDELIER

# WITH 2-1/4" SHADE HOLDERS





#### FINISHES - applied by hand.

tectural Bronze
gris Patina
essed Brass
ue Copper
Antique Brass
quered Pol. Brass
le for additional

#### GR-417-B1-04M Shown with A101 shade(s)

Medium base screw-in sockets (4) each accept 150 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Check our website for alternative 2-1/4" shades.


Mounting plate center mounts to junction box.

Specify overall length. Minimum overall length 12".

UL listed dry location.

Durably constructed of solid brass.

Made in USA by Brass Light Gallery.




ഹ



# GOLDEN GATETM FOUR LIGHT CHAIN DROP CHANDELIER

# WITH 2-1/4" SHADE HOLDERS





#### FINISHES - applied by hand.

Polished Nickel	Architectural Bronze
Brushed Nickel	Verdigris Patina
Black	Distressed Brass
Brushed Brass	Antique Copper
Polished Brass	Satin Antique Brass
Antique Nickel	Unlacquered Pol. Brass
Other finishes charge, inquire.	available for additional

#### GR-417-B1-15M Shown with A101 shade(s)

Medium base screw-in sockets (4) each accept 150 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.


Check our website for alternative 2-1/4" shades.

Mounting plate center mounts to junction box.

Specify overall length. Minimum overall length 11".


UL listed dry location.

Durably constructed of solid brass.





# WITH 4-1/4" SHADE HOLDERS DOWN






#### FINISHES - applied by hand.

Polished Nickel Brushed Nickel Black Brushed Brass Polished Brass Antique Nickel Other finishes

charge, inquire.

Architectural Bronze Verdigris Patina Distressed Brass Antique Copper Satin Antique Brass Unlacquered Pol. Brass available for additional



# GR-428-A6-03M Shown with C102 shade(s)

Medium base screw-in sockets (2) each accept 150 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Check our website for alternative 4-1/4" shades.


Mounting plate center mounts to junction box.

Specify overall length. Minimum overall length 18".

Angled ceiling version available, inquire.


UL listed dry location.

Durably constructed of solid brass.





# WITH 4-1/4" SHADE HOLDERS UP






## FINISHES - applied by hand.

Polished Nickel Brushed Nickel Black Brushed Brass Polished Brass Antique Nickel Other finishes charge, inquire.

Architectural Bronze Verdigris Patina Distressed Brass Antique Copper Satin Antique Brass Unlacquered Pol. Brass available for additional



# GR-428-A6-09M Shown with C102 shade(s)

Medium base screw-in sockets (2) each accept 150 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Check our website for alternative 4-1/4" shades.


Mounting plate center mounts to junction box.

Specify overall length. Minimum overall length 16".


Angled ceiling version available, inquire.

UL listed dry location.

Durably constructed of solid brass.



# WITH 2-1/4" SHADE HOLDERS DOWN






## FINISHES - applied by hand.

Polished Nickel Brushed Nickel Black Brushed Brass Polished Brass Antique Nickel Other finishes

charge, inquire.

Architectural Bronze Verdigris Patina Distressed Brass Antique Copper Satin Antique Brass Unlacquered Pol. Brass available for additional



# GR-428-B1-03M Shown with A101 shade(s)

Medium base screw-in sockets (2) each accept 150 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Check our website for alternative 2-1/4" shades.


Mounting plate center mounts to junction box.

Specify overall length. Minimum overall length 19".

Angled ceiling version available, inquire.


UL listed dry location.

Durably constructed of solid brass.





# WITH 2-1/4" SHADE HOLDERS UP






#### FINISHES - applied by hand.

Polished Nickel
Brushed Nickel
Black
Brushed Brass
Polished Brass
Antique Nickel
Other finishes
charge, inquire.

Architectural Bronze Verdigris Patina Distressed Brass Antique Copper Satin Antique Brass Unlacquered Pol. Brass available for additional



# GR-428-B1-09M Shown with A101 shade(s)

Medium base screw-in sockets (2) each accept 150 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Check our website for alternative 2-1/4" shades.


Mounting plate center mounts to junction box.

Specify overall length. Minimum overall length 19".

Angled ceiling version available, inquire.


UL listed dry location.

Durably constructed of solid brass.





## WITH 4-1/4" SHADE HOLDERS DOWN



#### GR-430-A6-03M Shown with C102 shade(s)

Medium base screw-in sockets (4) each accept 150 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Check our website for alternative 4-1/4" shades.

Mounting plate center mounts to junction box.

Specify overall length. Minimum overall length 18".

Angled ceiling version available, inquire.

UL listed dry location.

Durably constructed of solid brass.

Made in USA by Brass Light Gallery.





#### FINISHES - applied by hand.

Polished Nickel
Brushed Nickel
Black
Brushed Brass
Polished Brass
Antique Nickel

Architectural Bronze Verdigris Patina Distressed Brass Antique Copper Satin Antique Brass Unlacquered Pol. Brass

Other finishes available for additional charge, inquire.








# **GOLDEN GATE<sup>TM</sup> FOUR LIGHT CHANDELIER**

# WITH 4-1/4" SHADE HOLDERS UP



## GR-430-A6-09M Shown with C102 shade(s)

Medium base screw-in sockets (4) each accept 150 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Check our website for alternative 4-1/4" shades.

Mounting plate center mounts to junction box.

Specify overall length. Minimum overall length 16".

Angled ceiling version available, inquire.

UL listed dry location.

Durably constructed of solid brass.


Made in USA by Brass Light Gallery.




additional

#### FINISHES - applied by hand.

	pirou of munu
Polished Nickel	Architectural Bronze
Brushed Nickel	Verdigris Patina
Black	Distressed Brass
Brushed Brass	Antique Copper
Polished Brass	Satin Antique Brass
Antique Nickel	Unlacquered Pol. Brass
Other finishes charge, inquire.	available for additiona






12



## WITH 2-1/4" SHADE HOLDERS DOWN



## GR-430-B1-03M Shown with A101 shade(s)

Medium base screw-in sockets (4) each accept 150 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Check our website for alternative 2-1/4" shades.

Mounting plate center mounts to junction box.

Specify overall length. Minimum overall length 19".

Angled ceiling version available, inquire.

UL listed dry location.

Durably constructed of solid brass.

Made in USA by Brass Light Gallery.





#### FINISHES - applied by hand.

_	F F
Polished	Nickel
Brushed	Nickel
Black	
Brushed	Brass
Polished	Brass
Antique	Nickel

Architectural Bronze Verdigris Patina Distressed Brass Antique Copper Satin Antique Brass Unlacquered Pol. Brass


Other finishes available for additional charge, inquire.





BRASS LIGHT GALLERY

## WITH 2-1/4" SHADE HOLDERS UP



## GR-430-B1-09M Shown with A101 shade(s)

Medium base screw-in sockets (4) each accept 150 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Check our website for alternative 2-1/4" shades.

Mounting plate center mounts to junction box.

Specify overall length. Minimum overall length 19".

Angled ceiling version available, inquire.

UL listed dry location.

Durably constructed of solid brass.

Made in USA by Brass Light Gallery.




#### FINISHES - applied by hand.

r morre up	P
Polished Nickel	A
Brushed Nickel	V
Black	D
Brushed Brass	A
Polished Brass	S
Antique Nickel	U
Other finishes	ava

charge, inquire.


Architectural Bronze Verdigris Patina Distressed Brass Antique Copper Satin Antique Brass Jnlacquered Pol. Brass railable for additional

stem break on 40" overall length & up





# WITH 2-1/4" SHADE HOLDERS DOWN





Medium base screw-in sockets (8) each accept 150 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Check our website for alternative 2-1/4" shades.

Mounting plate center mounts to junction box.

Specify overall length. Minimum overall length 19".

Angled ceiling version available, inquire.

UL listed dry location.

Durably constructed of solid brass.

Made in USA by Brass Light Gallery.



#### FINISHES - applied by hand.


1111011110	- 41
Polished Nick	el
Brushed Nick	el
Black	
Brushed Bras	SS
Polished Bras	SS
Antique Nick	el
Other finish	مم

Architectural Bronze Verdigris Patina Distressed Brass Antique Copper Satin Antique Brass Unlacquered Pol. Brass available for additional

Other finishes a charge, inquire.

ALLERY


stem break on 40" overall length & up





# GOLDEN GATE™ EIGHT LIGHT CHANDELIER

## WITH 2-1/4" SHADE HOLDERS UP





Medium base screw-in sockets (8) each accept 150 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Check our website for alternative 2-1/4" shades.

Mounting plate center mounts to junction box.

Specify overall length. Minimum overall length 19".

Angled ceiling version available, inquire.

UL listed dry location.

Durably constructed of solid brass.


Made in USA by Brass Light Gallery.




## FINISHES - applied by hand.

Polished Nickel **Brushed Nickel** Black Brushed Brass Polished Brass Antique Nickel charge, inquire.


Architectural Bronze Verdigris Patina Distressed Brass Antique Copper Satin Antique Brass Unlacquered Pol. Brass Other finishes available for additional








## WITH ELECTRIC CANDLES





# FINISHES - applied by hand.

Polished Nickel	Architectural Bronze
Brushed Nickel	Verdigris Patina
Black	Distressed Brass
Brushed Brass	Antique Copper
Polished Brass	Satin Antique Brass
Antique Nickel	Unlacquered Pol. Brass
Other finishes charge, inquire.	available for additional
\ \	



# 6.1" 33.7"

## GR-440-B7-09M Shown with E210 shade(s)

Medium base screw-in sockets (8) each accept 60 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Check online for alternative clip-on shades rated at 40 to 100 watts with this fixture.

Mounting plate center mounts to junction box.

Specify overall length. Minimum overall length 18".

Angled ceiling version available, inquire.


UL listed dry location.

Durably constructed of solid brass.



# GOLDEN GATETM EIGHT LIGHT RECTANGULAR CHANDELIER


## WITH 2-1/4" SHADE HOLDERS DOWN





#### FINISHES - applied by hand.

Polished Nickel Brushed Nickel Black Brushed Brass Polished Brass Antique Nickel Other finishes charge, inquire. Architectural Bronze Verdigris Patina Distressed Brass Antique Copper Satin Antique Brass Unlacquered Pol. Brass available for additional



# GR-442-B1-03M Shown with A101 shade(s)

Medium base screw-in sockets (8) each accept 150 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Check our website for alternative 2-1/4" shades.


Mounting plate center mounts to junction box.

Specify overall length. Minimum overall length 19".

Angled ceiling version available, inquire.


UL listed dry location.

Durably constructed of solid brass.



# GOLDEN GATETM EIGHT LIGHT RECTANGULAR CHANDELIER


## WITH 2-1/4" SHADE HOLDERS UP





## FINISHES - applied by hand.

Polished Nickel Brushed Nickel Black Brushed Brass Polished Brass Antique Nickel Other finishes charge, inquire. Architectural Bronze Verdigris Patina Distressed Brass Antique Copper Satin Antique Brass Unlacquered Pol. Brass available for additional



# GR-442-B1-09M Shown with A101 shade(s)

Medium base screw-in sockets (8) each accept 150 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Check our website for alternative 2-1/4" shades.

Mounting plate center mounts to junction box.


Specify overall length. Minimum overall length 19".

Angled ceiling version available, inquire.

UL listed dry location.

Durably constructed of solid brass.

Made in USA by Brass Light Gallery.



sales@brasslight.com

800-243-9595

brasslightgallery.com

19

Golden Gate Family v1.0 page



# GOLDEN GATETM EIGHT LIGHT RECTANGULAR CHANDELIER

## WITH ELECTRIC CANDLES







#### FINISHES - applied by hand.

a

Architectural Bronze Verdigris Patina Distressed Brass Antique Copper Satin Antique Brass Unlacquered Pol. Brass vailable for additional





# GR-442-B7-09M Shown with E210 shade(s)

Medium base screw-in sockets (8) each accept 60 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Check online for alternative clip-on shades rated at 40 to 100 watts with this fixture.

Mounting plate center mounts to junction box.

Specify overall length. Minimum overall length 18".

Angled ceiling version available, inquire.


UL listed dry location.

Durably constructed of solid brass.



# GOLDEN GATETM TWELVE LIGHT TWO TIER CHANDELIER

## WITH 2-1/4" SHADE HOLDERS DOWN





Medium base screw-in sockets (12) each accept 150 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Check our website for alternative 2-1/4" shades.

Mounting plate center mounts to junction box.

Specify overall length. Minimum overall length 30".

Angled ceiling version available, inquire.

UL listed dry location.

Durably constructed of solid brass.

Made in USA by Brass Light Gallery.





#### FINISHES - applied by hand.

	r	. P
Polished N	lickel	Ar
Brushed N	lickel	Ve
Black		Di
Brushed B	srass	A
Polished B	rass	Sa
Antique N	ickel	Uı
o (1		

Architectural Bronze Verdigris Patina Distressed Brass Antique Copper Satin Antique Brass Jnlacquered Pol. Brass

Other finishes available for additional charge, inquire.








# GOLDEN GATETM TWELVE LIGHT TWO TIER CHANDELIER

## WITH 2-1/4" SHADE HOLDERS UP



## GR-446-B1-09M Shown with A101 shade(s)

Medium base screw-in sockets (12) each accept 150 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Check our website for alternative 2-1/4" shades.

Mounting plate center mounts to junction box.

Specify overall length. Minimum overall length 28".

Angled ceiling version available, inquire.

UL listed dry location.


Durably constructed of solid brass.


Made in USA by Brass Light Gallery.



## FINISHES - applied by hand.

11			
d Nickel	Architec	tural	Bronze
d Nickel	Verdigris	s Pati	na
	Distress	ed Br	ass
d Brass	Antique	Сорр	er
d Brass	Satin Ar	ntique	Brass
Nickel	Unlacqu	ered	Pol. Brass
finishes inquire.	available	for	additional
	d Nickel d Brass d Brass Nickel finishes	d Nickel Verdigris Distress d Brass Antique d Brass Satin Ar Nickel Unlacqu finishes available	d Nickel Verdigris Pati Distressed Br d Brass Antique Copp d Brass Satin Antique Nickel Unlacquered finishes available for






22



# GOLDEN GATETM TWELVE LIGHT TWO TIER CHANDELIER

## WITH ELECTRIC CANDLES



# GR-446-B7-09M Shown with E210 shade(s)

Medium base screw-in sockets (12) each accept 60 W max incandescent, compact fluorescent, or LED.

GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Check online for alternative clip-on shades rated at 40 to 100 watts with this fixture.

Mounting plate center mounts to junction box.

Specify overall length. Minimum overall length 29".

UL listed dry location.

Durably constructed of solid brass.

Made in USA by Brass Light Gallery.



#### FINISHES - applied by hand.

<b>.</b>	<u> </u>	
Polished Nickel	Architectural Bronze	
Brushed Nickel	Verdigris Patina	
Black	Distressed Brass	
Brushed Brass	Antique Copper	
Polished Brass	Satin Antique Brass	
Antique Nickel	Unlacquered Pol. Brass	
Other finishes charge, inquire.	available for additional	

