$\boldsymbol{PANTHEON}^{^{TM}}$

ALABASTER BOWL FAMILY

e Pantheon of Rome was the architectural marvel of its time. Like its namesake, our Pantheon Alabaster Bowl Family o ers distinguished classical design. Inherently translucent, real alabaster emits a pleasing luminosity.





AL-2216-AF



ALABASTER BOWL FAMILY

See our new classics online for more info.

MOUNTS



Multi-Stem



Ornate Multi-Stem




Chain Mount -New Designs Available






SIZES







Matching alabaster sconces also online.




UL listed. Durably constructed from solid brass and real alabaster stone. Made in USA by Brass Light Gallery.

See our new classics online for more info.




12" DIAM, MULTI-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel



AL-2212-AA

Candelabra base screw-in sockets (3) each accept 40 W max incandescent, compact fluorescent, or LED.


GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Center mount to junction box.

Specify overall length. Minimum overall length 11".

UL listed dry location.

Durably constructed of solid brass and real alabaster stone.






12" Wide, Ornate Multi-Stem





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel



AL-2212-AF

Candelabra base screw-in sockets (3) each accept 40 W max incandescent, compact fluorescent, or LED.


GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Center mount to junction box.

Specify overall length. Minimum overall length 11".

UL listed dry location.

Durably constructed of solid brass and real alabaster stone.






16" DIAM, MULTI-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel



AL-2216-AA

Candelabra base screw-in sockets (3) each accept 60 W max incandescent, compact fluorescent, or LED.


GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Center mount to junction box.

Specify overall length. Minimum overall length 12".

UL listed dry location.

Durably constructed of solid brass and real alabaster stone.





16" DIAM, ORNATE MULTI-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel



AL-2216-AF

Candelabra base screw-in sockets (3) each accept 60 W max incandescent, compact fluorescent, or LED.


GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Center mount to junction box.

Specify overall length. Minimum overall length 12".


UL listed dry location.

Durably constructed of solid brass and real alabaster stone.






19" DIAM, MULTI-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel



AL-2219-AA

Medium base screw-in sockets (3) each accept 75 W max incandescent, compact fluorescent, or LED.


GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Center mount to junction box.

Specify overall length. Minimum overall length 12".


UL listed dry location.

Durably constructed of solid brass and real alabaster stone.






19" DIAM, ORNATE MULTI-STEM





FINISHES

Antique Copper Antique Nickel Architectural Bronze Architectural Iron Black Brushed Brass Brushed Nickel Distressed Brass Polished Brass Polished Nickel Satin Ant. Brass Unlacq. Pol. Brass Verdigris Patina Vintage Nickel



AL-2219-AF

Medium base screw-in sockets (3) each accept 75 W max incandescent, compact fluorescent, or LED.


GU24 base bi-pin socket available. 277V 4 pin socket alternative, inquire.

Center mount to junction box.

Specify overall length. Minimum overall length 12".

UL listed dry location.

Durably constructed of solid brass and real alabaster stone.





ALABASTER BOWL FAMILY

Version History

v1.1 Dec-2011 First published as a summary only. 2 pages.

Added this v history. Revise pg 2 with bowl profiles, etc and removed old cut of print catalog. Added ind products. $9\ pgs$. v1.2 02-07-2012

